

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wopto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/669,591	09/24/2003	Doug Duchon	57173/1481	5690
Kramer Levin	7590 12/29/2009 Naftalis & Frankel LLP	EXAMINER		
1177 Avenue of the Americas			WITCZAK, CATHERINE	
New York, NY 10036			ART UNIT	PAPER NUMBER
			3767	
			MAIL DATE	DELIVERY MODE
			12/29/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/669,591 DUCHON ET AL. Office Action Summary Examiner Art Unit CATHERINE N. WITCZAK 3767 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address -- Period for Reply

	,, ,,op.,				
WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY IS SET WHEVER IS LONGER, FROM THE MAILING DATE OF insome of time may be available under the provisions of 37 CFR 1.136(a). In op-priod for reply is specified above, the maximum statutory period wit apply and reply reply is specified above, the maximum statutory period wit apply and reply with ystatic, cause the reply recoved by the Office later than three months after the mailing date of this and patient term adjustment. See 37 CFR 1.704(b).	THIS COMMUNICATION. event, however, may a reply be timely filed twill expire SIX (6) MONTHS from the mailing date of this communication. pplication to become ABANDONED (35 U.S.C. § 133).			
Status					
1)🛛	Responsive to communication(s) filed on 03 Septembe	r 2009.			
2a)⊠	This action is FINAL . 2b) ☐ This action is	non-final.			
3)	Since this application is in condition for allowance exce	pt for formal matters, prosecution as to the merits is			
	closed in accordance with the practice under Ex parte	Quayle, 1935 C.D. 11, 453 O.G. 213.			
Disposit	ion of Claims				
4)⊠ Claim(s) <u>23-40</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
	5) Claim(s) is/are allowed.				
	6)⊠ Claim(s) <u>23-40</u> is/are rejected.				
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.					
Applicati	ion Papers				
9)	The specification is objected to by the Examiner.				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)	The oath or declaration is objected to by the Examiner.	Note the attached Office Action or form PTO-152.			
Priority (ınder 35 U.S.C. § 119				
12)	Acknowledgment is made of a claim for foreign priority u	ınder 35 U.S.C. § 119(a)-(d) or (f).			
a) ☐ All b) ☐ Some * c) ☐ None of:					
 Certified copies of the priority documents have been received. 					
Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
	application from the International Bureau (PCT R	,			
* See the attached detailed Office action for a list of the certified copies not received.					
Attachmen	t(s)				
	e of References Cited (PTO-892)	4) Interview Summary (PTO-413)			
	e of Draftsperson's Patent Drawing Review (PTO-948) mattern Disclosure Statement(s) (PTO/SD/05)	Paper No(s)/Mail Date			
Thronination Disclosure Statement(s) (1" 10/00/00)		© ☐ O#			

Attachment(s)	
Motice of References Cited (PTO-892) Notice of Draftsperson's Patient Drawing Review (PTO-948) Information-Disclosure-Statement(e) (PTOISE/CC) Paper No(s)/Mail Date	4) Interview Summary (PTO-413) Paper No(s)Mail Date. 5) Notice of Informal Patent Application 6) Other:
S. Patent and Trademark Office	

Application/Control Number: 10/669,591

Art Unit: 3767

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

 Claims 23-31, 39 are rejected under 35 U.S.C. 102(b) as being anticipated by Hirschman et al (US 3,523,523).

Reich discloses in column 1, lines 45-50; column 2, lines 41-47; and column 6, line 2934; a method comprising the steps of sensing a volume of fluid in a chamber of the syringe remaining following a first injection; providing a fluid reservoir in communication with the syringe chamber (36); determining a preset amount of fluid necessary for a subsequent injection from user input; receiving a user input comprising a safety parameter related to maximum injection volume, maximum flow rate, maximum pressure and rise time; comparing said volume in said chamber with said preset amount of fluid and advancing the plunger if the preset volume is less than the volume remaining; retracting a plunger (46) within said chamber of said syringe to a predetermined limit for filling the syringe; and purging air from the syringe (column 4, lines 25-34).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Application/Control Number: 10/669,591

Art Unit: 3767

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 32-37 are rejected as being unpatentable over Reich as applied above, in further view of Riley et al (US 5.672,155).

Reich discloses the claimed invention except for the plunger being retracted at a first, slower speed of about 2mL/sec until about 40mL of fluid has been withdrawn, followed by a faster rate of 3mL/sec. Riley teaches in column 12, lines 12-36 that it is known to use an initial slow rate of retraction. Thus, it would have been obvious ton one having ordinary skill in the art at the time the invention was made to start with a slow retraction speed as taught by Riley et al in the method of Reich in order to prevent air from being drawn it. Furthermore, at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to vary the speed from a slower rate of 2mL to a faster retraction rate of about 3mL because Applicant has not disclosed that these particular rates (ie 2mL/se and 3mL/sec) provide an advantage, is used for a particular purpose, or solves a stated problem.

Claims 38 and 40 are rejected as being unpatentable over Reich.

Reich discloses the claimed invention except for expressly disclosing the syringe being angled upward at about 10 to 20 degrees. Reich teaches in column 3, lines 35-60 that it is known adjust the rotation of the syringe about its vertical access. It would have been obvious to one having ordinary skill in the art at the time the invention was made to angle the syringe at about 10 to 20 degrees since Applicant has not disclosed that these particular angles provide an advantage, are used for a particular purpose, or solve a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with the device of Reich because the support arm D of the housing allows a user to angle the syringe at any

Application/Control Number: 10/669,591

Art Unit: 3767

desired angle. Therefore, it would have been an obvious matter of design choice to modify Reich to obtain the invention as specified in claims 38 and 40.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CATHERINE N. WITCZAK whose telephone number is (571)272-7179. The examiner can normally be reached on Monday through Friday, 8-5 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Sirmons can be reached on (571) 272-4965. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3767

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Catherine N Witczak/ Examiner, Art Unit 3767 /Tatyana Zalukaeva/ Supervisory Patent Examiner, Art Unit 3761